





Italian guidelines for the management of irritable bowel syndrome in children and adolescents

Joint Consensus from the Italian Societies of: Gastroenterology, Hepatology and Pediatric Nutrition (SIGENP), Pediatrics (SIP), Gastroenterology and Endoscopy (SIGE) and Neurogastroenterology and Motility (SINGEM)

Giovanni Di Nardo¹, Giovanni Barbara^{2,3}, Osvaldo Borrelli⁴, Cesare Cremon^{2,3}, Valentina Giorgio⁵, Luigi Greco⁶, Michele La Pietra⁷, Giovanni Marasco^{2,3}, Licia Pensabene⁸, Marisa Piccirillo¹, Claudio Romano⁹, Silvia Salvatore¹⁰, Michele Saviano⁷, Vincenzo Stanghellini^{2,3}, Caterina Strisciuglio¹¹, Renato Tambucci¹², Rossella Turco¹³, Letizia Zenzeri¹ and Annamaria Staiano^{14*} 




ALGORITMO DIAGNOSTICO



[°] indipendentemente dall'alvo

* solo in pazienti con IBS diarrea

APPROCCIO TERAPEUTICO



- Raccomandazione forte
- Raccomandazione condizionale

° Quando altre terapie hanno fallito e mai uso cronico
 * In assenza di stipsi e quando altre terapie sono state inefficaci
 § In assenza di stipsi, quando altre terapie sono inefficaci e solo sotto controllo specialistico